



Main

Range	PowerLogic
Product name	ME
Device short name	ME3zr
Product or component type	Active energy hour meter

Complementary

Poles description	3P
Type of measurement	Active power
Device application	Sub billing Partial meter
Accuracy class	Active energy : class 1 according to IEC 62053-21
Analogue input type	Direct input
[In] rated current	63 A
Rated voltage	230...400 V +/- 20%
Network frequency	50 Hz 60 Hz
Technology type	Electronic
Display type	LCD display
Number of outputs	1 pulse
Output voltage	24 V DC 18 mA 230 V AC 100 mA
Impulse duration	200 ms
Power consumption in VA	2.5 VA
Mounting mode	Clip-on
Mounting support	DIN rail
Connections - terminals	Tunnel type terminals 16 mm ² bottom Tunnel type terminals 6 mm ² top
Standards	IEC 61036

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Environment

IP degree of protection	Front face : IP40
9 mm pitches	8
Width	72 mm
Height	81 mm
Depth	65 mm

Offer Sustainability

Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 0745 - Schneider Electric declaration of conformity Schneider Electric declaration of conformity
REACH	Reference contains SVHC above the threshold - Go to CaP for more details Go to CaP for more details
Product environmental profile	Available End of life manual
Product end of life instructions	Available

Contractual warranty

Warranty period	18 months
-----------------	-----------

Product Life Status	END-OF-SALE NOTICE
---------------------	---------------------------