



### Main

Range of product	KNX
Product or component type	Dimming actuator
Operating mode	KNX bus system Manual
Bus type	KNX

### Complementary

18 mm pitches	4
Mounting support	DIN rail
[Ue] rated operational voltage	220...230 V
Network frequency	50/60 Hz
Number of outputs	2
Local signalling	LED
Load type	<p>Incandescent lamps : 4...300 W, 230 V AC                      Halogen lamps : 4...300 W, 230 V AC                      LV halogen lamps : 25...300 VA, 12 V AC (wound transformer)                      LV halogen lamps : 4...300 W, 12 V AC (electronic transformer)                      Compact fluorescent lamp : 4...180 W, 230 V AC (RC mode)                      Energy saving lamp : 4...180 W, 230 V AC (RC mode)                      LED lamp : 4...180 W, 230 V AC (RC mode)                      Compact fluorescent lamp : 30...50 W, 230 V AC (RL LED mode)                      Energy saving lamp : 30...50 W, 230 V AC (RL LED mode)                      LED lamp : 30...50 W, 230 V AC (RL LED mode)</p> <p>Incandescent lamps : 4...150 W, 110 V AC                      Halogen lamps : 4...150 W, 110 V AC                      LV halogen lamps : 25...150 VA, 12 V AC (wound transformer)                      LV halogen lamps : 4...150 W, 12 V AC (electronic transformer)                      Compact fluorescent lamp : 4...90 W, 110 V AC (RC mode)                      Energy saving lamp : 4...90 W, 110 V AC (RC mode)                      LED lamp : 4...90 W, 110 V AC (RC mode)                      Compact fluorescent lamp : 15...25 W, 110 V AC (RL LED mode)                      Energy saving lamp : 15...25 W, 110 V AC (RL LED mode)                      LED lamp : 15...25 W, 110 V AC (RL LED mode)</p>

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

## Environment

IP degree of protection	IP20
Environmental health and issues	Halogen free

## Offer Sustainability

Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 1524 - Schneider Electric declaration of conformity <a href="#">Schneider Electric declaration of conformity</a>
REACH	Reference not containing SVHC above the threshold <a href="#">Reference not containing SVHC above the threshold</a>
Product environmental profile	Available <a href="#">Product environmental</a>
Product end of life instructions	Available <a href="#">End of life manual</a>