

ZCE01

limit switch head ZCE - without lever - spring return - left and right actuation



Main

Range of product	OsiSense XC
Series name	Standard format
Product or component type	Limit switch head
Device short name	ZCE
Head type	Rotary head
Product compatibility	XCKP XCKD XCMD XCKT
Associated lever	ZCY49 ZCY18 ZCY69 ZCY91 ZCY12 ZCY26 ZCY45 ZCY25 ZCY19 ZCY46 ZCY59 ZCY22 ZCY23 ZCY55 ZCY48 ZCY39 ZCY53 ZCY54 ZCY81 ZCY15 ZCY44 ZCY16 ZCY17
Associated body	ZCT28N12 ZCMD29L1 ZCD21 ZCT27P16 ZCMD25L5

ZCE01

ZCMD29C12
 ZCT26G11
 ZCP31
 ZCT26P16
 ZCT26N12
 ZCMD81L2
 ZCP21
 ZCMD41L1
 ZCMD25L2
 ZCMD21M12
 ZCD29M12
 ZCD28
 ZCT21N12
 ZCD31
 ZCMD29L2
 ZCMD39L5
 ZCP29M12
 ZCMD37L2
 ZCP21M12
 ZCMD61C12
 ZCT25P16
 ZCMD29L5
 ZCT27N12
 ZCT28G11
 ZCD35
 ZCMD21L5
 ZCP29
 ZCD25
 ZCT21G11
 ZCMD37L5
 ZCMD41L2
 ZCD27
 ZCP28
 ZCD21M12
 ZCMD25L1
 ZCMD69C12
 ZCMD21L08U78
 ZCMD37L1
 ZCMD21C12
 ZCMD39L1
 ZCMD81L5
 ZCT25N12
 ZCP25
 ZCP39
 ZCD26
 ZCT25G11
 ZCMD41L5
 ZCD29
 ZCMD61M12
 ZCP26
 ZCT27G11
 ZCD39
 ZCD37
 ZCMD81L1
 ZCMD21L08R12
 ZCT28P16
 ZCMD21L1
 ZCMD39L2
 ZCP35
 ZCP37
 ZCMD21L2
 ZCT21P16
 ZCP27

Movement of operating head	Rotary
Type of operator	Without operating lever spring return metal
Type of approach	Lateral approach 2 directions

Complementary

Positive opening	With
Device presentation	Basic element
Compatibility code	ZCE

Environment

Ambient air temperature for operation	-25...70 °C
Ambient air temperature for storage	-40...70 °C
Environmental characteristic	Standard environment

Offer Sustainability

Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 0851 - Schneider Electric declaration of conformity Schneider Electric declaration of conformity
REACH	Reference not containing SVHC above the threshold Reference not containing SVHC above the threshold
Product end of life instructions	Need no specific recycling operations

Contractual warranty

Warranty period	18 months
-----------------	-----------

ZCE01