



Main

Range of product	OsiSense XC
Series name	Standard format
Product or component type	Limit switch head
Device short name	ZCE
Head type	Multi-directional head
Product compatibility	XCKT XCKD XCMD XCKP
Associated body	ZCT28N12 ZCMD39L1 ZCD26 ZCT26G11 ZCMD81L2 ZCMD29C12 ZCT25P16 ZCMD29L5 ZCT28G11 ZCT27N12 ZCD29 ZCD27 ZCD31 ZCMD39L2 ZCMD25L5 ZCP21 ZCMD21L5 ZCMD29L2 ZCD35 ZCT26P16 ZCP35 ZCMD21M12 ZCT26N12 ZCMD37L1 ZCMD29L1 ZCMD41L5 ZCT21G11 ZCP28

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

ZCD37
 ZCT21P16
 ZCP25
 ZCMD69C12
 ZCMD61M12
 ZCD21
 ZCD39
 ZCT25N12
 ZCMD61C12
 ZCT21N12
 ZCD21M12
 ZCP31
 ZCT27P16
 ZCMD81L5
 ZCMD25L1
 ZCT28P16
 ZCMD21C12
 ZCP39
 ZCP29
 ZCP37
 ZCD28
 ZCMD21L08U78
 ZCMD41L1
 ZCP27
 ZCD25
 ZCP29M12
 ZCP21M12
 ZCMD37L5
 ZCMD81L1
 ZCMD25L2
 ZCP26
 ZCT27G11
 ZCD29M12
 ZCMD37L2
 ZCMD39L5
 ZCMD21L2
 ZCMD21L08R12
 ZCT25G11
 ZCMD21L1
 ZCMD41L2

Movement of operating head	Multi-directional
Type of operator	Spring rod spring return metal (with nitrile boot and thermoplastic end)
Type of approach	Multi-directional approach

Complementary

Switch actuation	By any moving part
Positive opening	Without
Compatibility code	ZCE

Environment

Ambient air temperature for operation	-25...70 °C
Ambient air temperature for storage	-40...70 °C
Environmental characteristic	Standard environment

Offer Sustainability

Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 0851 - Schneider Electric declaration of conformity Schneider Electric declaration of conformity
REACH	Reference not containing SVHC above the threshold Reference not containing SVHC above the threshold
Product end of life instructions	Need no specific recycling operations

Contractual warranty

Warranty period	18 months
-----------------	-----------

ZCE07