



Main

|                           |                                                                                                                                                                                                                                                                                                                            |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Range of product          | OsiSense XC                                                                                                                                                                                                                                                                                                                |
| Series name               | Standard format                                                                                                                                                                                                                                                                                                            |
| Product or component type | Limit switch head                                                                                                                                                                                                                                                                                                          |
| Device short name         | ZCE                                                                                                                                                                                                                                                                                                                        |
| Head type                 | Plunger head                                                                                                                                                                                                                                                                                                               |
| Product compatibility     | XCKP<br>XCMD<br>XCKT<br>XCKD                                                                                                                                                                                                                                                                                               |
| Associated body           | ZCMD21L08U78<br>ZCD27<br>ZCMD25L5<br>ZCMD81L5<br>ZCMD21C12<br>ZCP21M12<br>ZCD31<br>ZCMD29C12<br>ZCD21M12<br>ZCMD37L2<br>ZCMD29L1<br>ZCMD37L1<br>ZCMD29L5<br>ZCMD81L1<br>ZCMD81L2<br>ZCP28<br>ZCMD39L2<br>ZCT28N12<br>ZCD29<br>ZCT27P16<br>ZCD25<br>ZCP26<br>ZCMD25L2<br>ZCMD25L1<br>ZCP39<br>ZCT28G11<br>ZCMD41L2<br>ZCD21 |

ZCE21

ZCMD21L08R12  
 ZCMD21L2  
 ZCT26N12  
 ZCMD39L5  
 ZCT25N12  
 ZCP37  
 ZCT21N12  
 ZCT25G11  
 ZCMD21L1  
 ZCD26  
 ZCD28  
 ZCP31  
 ZCP35  
 ZCMD69C12  
 ZCD35  
 ZCT25P16  
 ZCMD29L2  
 ZCMD21M12  
 ZCP29M12  
 ZCT28P16  
 ZCMD21L5  
 ZCT27N12  
 ZCT26P16  
 ZCT21G11  
 ZCMD61M12  
 ZCMD41L1  
 ZCT21P16  
 ZCP25  
 ZCMD39L1  
 ZCT26G11  
 ZCP29  
 ZCMD41L5  
 ZCMD37L5  
 ZCD37  
 ZCD29M12  
 ZCT27G11  
 ZCMD61C12  
 ZCD39  
 ZCP21  
 ZCP27

|                            |                                                  |
|----------------------------|--------------------------------------------------|
| Movement of operating head | Linear                                           |
| Type of operator           | Roller lever plunger spring return thermoplastic |
| Type of approach           | Lateral approach 1 direction                     |

### Complementary

|                     |               |
|---------------------|---------------|
| Switch actuation    | By 30° cam    |
| Positive opening    | With          |
| Device presentation | Basic element |
| Compatibility code  | ZCE           |

### Environment

|                                       |                      |
|---------------------------------------|----------------------|
| Ambient air temperature for operation | -25...70 °C          |
| Ambient air temperature for storage   | -40...70 °C          |
| Environmental characteristic          | Standard environment |

### Offer Sustainability

|                                  |                                                                                                                                       |
|----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| Sustainable offer status         | Green Premium product                                                                                                                 |
| RoHS (date code: YYWW)           | Compliant - since 0851 - Schneider Electric declaration of conformity<br><a href="#">Schneider Electric declaration of conformity</a> |
| REACH                            | Reference not containing SVHC above the threshold<br><a href="#">Reference not containing SVHC above the threshold</a>                |
| Product end of life instructions | Need no specific recycling operations                                                                                                 |

## Contractual warranty

|                 |           |
|-----------------|-----------|
| Warranty period | 18 months |
|-----------------|-----------|

# ZCE21