



Main

Range of product	OsiSense XC
Series name	Standard format
Product or component type	Limit switch head
Device short name	ZCE
Head type	Plunger head
Product compatibility	XCKP XCKT XCKD XCMD
Associated body	ZCMD39L1 ZCP21M12 ZCMD25L1 ZCD29 ZCMD81L5 ZCMD21L5 ZCP29 ZCP26 ZCMD25L2 ZCT28P16 ZCMD61C12 ZCT26G11 ZCP29M12 ZCMD37L1 ZCMD41L5 ZCT27G11 ZCMD81L2 ZCP28 ZCT25P16 ZCD29M12 ZCMD61M12 ZCMD21L08R12 ZCMD39L5 ZCMD25L5 ZCD37 ZCD39 ZCT27N12 ZCT28N12

ZCE64

ZCD27  
 ZCT21N12  
 ZCD28  
 ZCD31  
 ZCP37  
 ZCD35  
 ZCMD29L1  
 ZCD26  
 ZCMD29C12  
 ZCT28G11  
 ZCT21G11  
 ZCMD21M12  
 ZCP27  
 ZCT26P16  
 ZCMD39L2  
 ZCP21  
 ZCMD37L2  
 ZCT26N12  
 ZCMD21L1  
 ZCMD41L2  
 ZCD25  
 ZCMD29L2  
 ZCP35  
 ZCD21M12  
 ZCMD69C12  
 ZCD21  
 ZCMD21L08U78  
 ZCMD29L5  
 ZCT21P16  
 ZCMD21L2  
 ZCT27P16  
 ZCT25G11  
 ZCP39  
 ZCP25  
 ZCP31  
 ZCMD41L1  
 ZCMD81L1  
 ZCMD37L5  
 ZCMD21C12  
 ZCT25N12

Movement of operating head	Linear
Type of operator	Side roller plunger spring return metal (with horizontal roller)
Type of approach	Lateral approach 2 directions

### Complementary

Switch actuation	By 30° cam
Positive opening	Without
Compatibility code	ZCE

### Environment

Ambient air temperature for operation	-25...70 °C
Ambient air temperature for storage	-40...70 °C
Environmental characteristic	Standard environment

### Offer Sustainability

Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 0851 - Schneider Electric declaration of conformity <a href="#">Schneider Electric declaration of conformity</a>
REACH	Reference not containing SVHC above the threshold <a href="#">Reference not containing SVHC above the threshold</a>
Product end of life instructions	Need no specific recycling operations

## Contractual warranty

Warranty period	18 months
-----------------	-----------

# ZCE64