# Product data sheet Characteristics

### ZCE67

## limit switch head ZCE - side cat's whisker with nitrile boot





#### Main

Main	
Range of product	OsiSense XC
Series name	Standard format
Product or component type	Limit switch head
Device short name	ZCE
Head type	Multi-directional head
Product compatibility	XCKT XCKD XCMD XCKP
Associated body	ZCT21P16 ZCMD25L2 ZCD27 ZCMD29L2 ZCD39 ZCT26G11 ZCMD21L1 ZCT26N12 ZCD37 ZCD21M12 ZCT27N12 ZCT27N12 ZCT26P16 ZCP29M12 ZCD21 ZCT26P16 ZCP29M12 ZCD21 ZCT26G11 ZCMD61M12 ZCP29 ZCMD69C12 ZCP29 ZCMD69C12 ZCP27 ZCT28G11 ZCT25G11 ZCT25G11 ZCMD39L2 ZCT25P16 ZCT21N12 ZCP25 ZCP26 ZCP26 ZCP28 ZCP26 ZCP28 ZCP26 ZCP28 ZCP26 ZCP28 ZCP28 ZCP26 ZCP28

ZCMD37L5 ZCT25N12 ZCD29 ZCD31 ZCP21 ZCP28 ZCD29M12 ZCMD81L1 ZCMD25L1 ZCMD39L5 ZCMD21L08R12 ZCMD21L5 ZCMD21L08U78 ZCT27G11 ZCMD21C12 ZCD28 ZCMD29L5 ZCMD21M12 ZCMD81L5 ZCMD37L2 ZCD25 ZCMD25L5 ZCMD41L5 ZCMD41L1 ZCMD21L2 ZCP31 ZCMD29L1 ZCMD41L2 ZCP39 ZCP37 ZCMD81L2

ZCMD39L1 ZCT28P16 ZCD35 ZCMD37L1 ZCT28N12 ZCP21M12 ZCMD61C12 ZCT27P16 ZCMD29C12

Movement of operating head	Multi-directional
Type of operator	Side cat"s whisker spring return metal (with nitrile boot)
Type of approach	Multi-directional approach

#### Complementary

Switch actuation	By any moving part
Positive opening	Without
Compatibility code	ZCE

#### Environment

Ambient air temperature for operation	-2570 °C
Ambient air temperature for storage	-4070 °C
Environmental characteristic	Standard environment

#### Offer Sustainability

Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 0851 - Schneider Electric declaration of conformity
	Schneider Electric declaration of conformity
REACh	Reference not containing SVHC above the threshold
	Reference not containing SVHC above the threshold
Product end of life instructions	Need no specific recycling operations

Warranty period

18 months

ZCE67