

ZCEA7

limit switch head ZCE - spring rod lever
termoplastic end silicone boot



Main

Range of product	OsiSense XC
Series name	Standard format
Product or component type	Limit switch head
Device short name	ZCE
Head type	Multi-directional head
Product compatibility	XCMD XCKD XCKP XCKT
Associated body	ZCMD21L08U78 ZCP26 ZCMD37L1 ZCMD41L2 ZCMD39L1 ZCMD29L1 ZCT28G11 ZCMD21L08R12 ZCD28 ZCD39 ZCMD81L5 ZCP31 ZCD21 ZCMD37L5 ZCD29 ZCD35 ZCMD21L2 ZCT26P16 ZCT25G11 ZCP28 ZCP39 ZCD25 ZCT27G11 ZCT21G11 ZCP35 ZCD29M12 ZCMD21M12 ZCD37

ZCEA7

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

ZCMD41L5
 ZCMD29L5
 ZCD27
 ZCD31
 ZCT26N12
 ZCMD21C12
 ZCMD39L2
 ZCMD81L2
 ZCT28P16
 ZCT27P16
 ZCMD39L5
 ZCMD69C12
 ZCP21M12
 ZCMD81L1
 ZCMD21L5
 ZCMD25L5
 ZCT25N12
 ZCT27N12
 ZCMD37L2
 ZCP25
 ZCMD29L2
 ZCT25P16
 ZCMD61M12
 ZCMD21L1
 ZCMD41L1
 ZCD26
 ZCMD29C12
 ZCMD25L2
 ZCP21
 ZCMD25L1
 ZCP27
 ZCT21N12
 ZCP29
 ZCMD61C12
 ZCT28N12
 ZCT26G11
 ZCT21P16
 ZCP29M12
 ZCD21M12
 ZCP37

Movement of operating head	Multi-directional
Type of operator	Spring rod spring return metal (with silicone boot and thermoplastic end)
Type of approach	Multi-directional approach

Complementary

Switch actuation	By any moving part
Positive opening	Without
Compatibility code	ZCE

Environment

Ambient air temperature for operation	-25...70 °C
Ambient air temperature for storage	-40...70 °C
Environmental characteristic	Standard environment

Offer Sustainability

Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 0851 - Schneider Electric declaration of conformity Schneider Electric declaration of conformity
REACH	Reference not containing SVHC above the threshold Reference not containing SVHC above the threshold
Product end of life instructions	Need no specific recycling operations

Contractual warranty

Warranty period	18 months
-----------------	-----------

ZCEA7