



Main

Range of product	OsiSense XC
Series name	Standard format
Product or component type	Limit switch head
Device short name	ZCE
Head type	Multi-directional head
Product compatibility	XCKD XCMD XCKP XCKT
Associated body	ZCMD41L5 ZCT27P16 ZCMD39L5 ZCT28G11 ZCD26 ZCP29 ZCMD61M12 ZCMD39L2 ZCD21 ZCMD41L2 ZCP28 ZCT26N12 ZCT21P16 ZCMD21L1 ZCT25G11 ZCT28P16 ZCP35 ZCMD81L1 ZCP21 ZCMD25L5 ZCP31 ZCMD25L1 ZCT25N12 ZCMD21L08U78 ZCP37 ZCMD25L2 ZCP29M12 ZCMD21M12

ZCEA8

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

ZCT27N12
 ZCMD37L5
 ZCD39
 ZCT26P16
 ZCMD29L2
 ZCD25
 ZCD35
 ZCD28
 ZCMD39L1
 ZCMD21L5
 ZCP25
 ZCMD29C12
 ZCMD41L1
 ZCMD81L5
 ZCD29
 ZCP27
 ZCP39
 ZCT25P16
 ZCD21M12
 ZCP26
 ZCMD61C12
 ZCT28N12
 ZCMD21L2
 ZCMD29L5
 ZCT26G11
 ZCMD21L08R12
 ZCD37
 ZCD29M12
 ZCD27
 ZCMD69C12
 ZCMD81L2
 ZCD31
 ZCT27G11
 ZCP21M12
 ZCT21N12
 ZCMD29L1
 ZCT21G11
 ZCMD37L1
 ZCMD37L2
 ZCMD21C12

Movement of operating head	Multi-directional
Type of operator	Spring rod spring return metal (with silicone boot)
Type of approach	Multi-directional approach

Complementary

Switch actuation	By any moving part
Positive opening	Without
Compatibility code	ZCE

Environment

Ambient air temperature for operation	-25...70 °C
Ambient air temperature for storage	-40...70 °C
Environmental characteristic	Standard environment

Offer Sustainability

Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 0851 - Schneider Electric declaration of conformity Schneider Electric declaration of conformity
REACH	Reference not containing SVHC above the threshold Reference not containing SVHC above the threshold
Product end of life instructions	Need no specific recycling operations

Contractual warranty

Warranty period	18 months
-----------------	-----------

ZCEA8