

Main

Range of product	OsiSense XC
Series name	Standard format
Product or component type	Limit switch head
Device short name	ZCKD
Head type	Multi-directional head
Product compatibility	XCKL XCKS XCKM
Associated body	ZCKLD35 ZCKS8H29 ZCKM7 ZCKMD37H7 ZCKLD31H7 ZCKS1H29 ZCKMD31H7 ZCKLD31 ZCKS7H29 ZCKS7 ZCKSD39 ZCKSD31H29 ZCKS6H29 ZCKMD35H29 ZCKMD39 ZCKMD37H29 ZCKL6H7 ZCKM9H29 ZCKM5 ZCKM6H7 ZCKSD35H29 ZCKM8H7 ZCKSD37 ZCKS5 ZCKS2H29 ZCKS9 ZCKL1 ZCKMD35H7 ZCKSD37H29 ZCKS6 ZCKM7H29

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

ZCKSD35
 ZCKMD31
 ZCKM1
 ZCKMD37
 ZCKLD37
 ZCKMD39H29
 ZCKM6
 ZCKL7
 ZCKS9H29
 ZCKMD35
 ZCKLD39H7
 ZCKL7H7
 ZCKM5H7
 ZCKLD35H7
 ZCKS1
 ZCKM6H29
 ZCKLD37H7
 ZCKM7H7
 ZCKSD31
 ZCKL8
 ZCKLD39
 ZCKSD39H29
 ZCKL5H7
 ZCKM5H29
 ZCKM8H29
 ZCKM1H29
 ZCKL6
 ZCKMD31H29
 ZCKS2
 ZCKM1H7
 ZCKMD39H7
 ZCKM9
 ZCKM8
 ZCKL1H7
 ZCKS8
 ZCKL8H7
 ZCKS5H29
 ZCKL5

Movement of operating head	Multi-directional
Type of operator	Cat""S whisker spring return
Type of approach	Multi-directional approach


Complementary

Switch actuation	By any moving part
Positive opening	Without
Head material	Metal
Device presentation	Basic element
Compatibility code	ZCKD

Environment

Ambient air temperature for operation	-25...70 °C
Ambient air temperature for storage	-40...70 °C
Environmental characteristic	Standard environment

Offer Sustainability

Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 0922 - Schneider Electric declaration of conformity  Schneider Electric declaration of conformity
REACH	Reference not containing SVHC above the threshold Reference not containing SVHC above the threshold
Product end of life instructions	Need no specific recycling operations

Contractual warranty

Warranty period	18 months
-----------------	-----------

ZCKD06