



ZCKD10

Main

Range of product	OsiSense XC
Series name	Standard format
Product or component type	Limit switch head
Device short name	ZCKD
Head type	Plunger head
Product compatibility	XCKL XCKM
Associated body	ZCKMD37H7 ZCKM5H29 ZCKMD39H29 ZCKM8H29 ZCKLD35H7 ZCKMD39 ZCKL7 ZCKL6 ZCKLD37H7 ZCKM8 ZCKM7H29 ZCKL5 ZCKL5H7 ZCKL8 ZCKM1H29 ZCKMD31H29 ZCKM6 ZCKLD37 ZCKL1 ZCKLD31H7 ZCKMD37 ZCKMD35H7 ZCKMD31 ZCKMD39H7 ZCKMD35 ZCKM5 ZCKMD31H7 ZCKLD39H7 ZCKL1H7 ZCKL6H7 ZCKL7H7 ZCKMD35H29

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

ZCKM9
ZCKM1
ZCKLD31
ZCKLD35
ZCKM7H7
ZCKMD37H29
ZCKM9H29
ZCKM6H29
ZCKM7
ZCKM5H7
ZCKM8H7
ZCKLD39
ZCKM6H7
ZCKM1H7
ZCKL8H7

Movement of operating head	Linear
Type of operator	End plunger spring return metal
Type of approach	Vertical approach 1 direction

Complementary

Switch actuation	On end
Positive opening	With
Head material	Plastic
Device presentation	Basic element
Compatibility code	ZCKD

Environment

Ambient air temperature for operation	-25...70 °C
Ambient air temperature for storage	-40...70 °C
Environmental characteristic	Standard environment

Offer Sustainability

Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 0922 - Schneider Electric declaration of conformity Schneider Electric declaration of conformity
REACH	Reference not containing SVHC above the threshold Reference not containing SVHC above the threshold
Product end of life instructions	Need no specific recycling operations

Contractual warranty

Warranty period	18 months
-----------------	-----------