



Main

Range of product	OsiSense XC
Series name	Standard format
Product or component type	Limit switch head
Device short name	ZCKD
Head type	Rotary head
Product compatibility	XCKM XCKL
Associated body	ZCKLD31 ZCKM6H7 ZCKM1H29 ZCKLD39 ZCKM9 ZCKMD39H29 ZCKMD37H29 ZCKMD31H7 ZCKL1 ZCKM8H7 ZCKLD35H7 ZCKL5H7 ZCKL7H7 ZCKMD37 ZCKL8 ZCKMD35 ZCKMD35H7 ZCKMD37H7 ZCKL6 ZCKM7 ZCKM8H29 ZCKLD39H7 ZCKM5H7 ZCKM1H7 ZCKLD37H7 ZCKM7H7 ZCKLD37 ZCKMD31H29 ZCKMD39 ZCKL1H7 ZCKL6H7 ZCKL7

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

ZCKM8  
 ZCKLD35  
 ZCKLD31H7  
 ZCKMD35H29  
 ZCKM1  
 ZCKM9H29  
 ZCKM5H29  
 ZCKM6  
 ZCKM7H29  
 ZCKMD31  
 ZCKMD39H7  
 ZCKL5  
 ZCKL8H7  
 ZCKM6H29  
 ZCKM5

Movement of operating head	Rotary
Type of operator	Roller lever spring return metal
Type of approach	Lateral approach 2 directions

### Complementary

Switch actuation	By 30° cam
Positive opening	With
Head material	Metal
Device presentation	Basic element
Compatibility code	ZCKD

### Environment

Ambient air temperature for operation	-25...70 °C
Ambient air temperature for storage	-40...70 °C
Environmental characteristic	Standard environment

### Offer Sustainability

Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 1012 - Schneider Electric declaration of conformity <a href="#">Schneider Electric declaration of conformity</a>
REACH	Reference not containing SVHC above the threshold <a href="#">Reference not containing SVHC above the threshold</a>
Product end of life instructions	Need no specific recycling operations

### Contractual warranty

Warranty period	18 months
-----------------	-----------