



ZCK D21

## Main

Range of product	OsiSense XC
Series name	Standard format
Product or component type	Limit switch head
Device short name	ZCKD
Head type	Plunger head
Product compatibility	XCKL XCKM
Associated body	ZCKM6H7 ZCKLD39 ZCKLD35 ZCKL8H7 ZCKL1H7 ZCKMD37 ZCKLD37H7 ZCKMD39 ZCKLD31H7 ZCKM9H29 ZCKL7H7 ZCKLD37 ZCKM5H7 ZCKL6H7 ZCKM8H7 ZCKL1 ZCKMD31H29 ZCKM1H7 ZCKM7H29 ZCKM6H29 ZCKLD31 ZCKM1 ZCKM8H29 ZCKM8 ZCKM5H29 ZCKMD35 ZCKLD39H7 ZCKMD37H29 ZCKM1H29 ZCKMD39H7

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

ZCKM5  
 ZCKMD35H29  
 ZCKM7H7  
 ZCKL7  
 ZCKM9  
 ZCKMD35H7  
 ZCKM7  
 ZCKMD31H7  
 ZCKLD35H7  
 ZCKMD31  
 ZCKL8  
 ZCKL6  
 ZCKMD39H29  
 ZCKMD37H7  
 ZCKM6  
 ZCKL5H7  
 ZCKL5

Movement of operating head	Rotary Linear
Type of operator	Roller lever plunger spring return thermoplastic
Type of approach	Lateral approach 1 direction


### Complementary

Switch actuation	By 30° cam
Positive opening	With
Head material	Plastic
Device presentation	Basic element
Compatibility code	ZCKD

### Environment

Ambient air temperature for operation	-25...70 °C
Ambient air temperature for storage	-40...70 °C
Environmental characteristic	Standard environment

### Offer Sustainability

Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 1012 - Schneider Electric declaration of conformity  <a href="#">Schneider Electric declaration of conformity</a>
REACH	Reference not containing SVHC above the threshold <a href="#">Reference not containing SVHC above the threshold</a>
Product end of life instructions	Need no specific recycling operations

### Contractual warranty

Warranty period	18 months
-----------------	-----------