

ZCKD91

limit switch head ZCKD - spring rod lever with metal end



Main

Range of product	OsiSense XC
Series name	Standard format
Product or component type	Limit switch head
Device short name	ZCKD
Head type	Rotary head
Product compatibility	XCKM XCKS XCKL
Associated body	ZCKMD35H7 ZCKSD37H29 ZCKMD39H7 ZCKS8 ZCKLD31 ZCKL6 ZCKM6 ZCKM8H29 ZCKM7H7 ZCKMD39 ZCKS6H29 ZCKMD35H29 ZCKSD31 ZCKMD31H29 ZCKL7H7 ZCKM6H7 ZCKM1H7 ZCKM7H29 ZCKLD39H7 ZCKSD31H29 ZCKM5 ZCKS2 ZCKM6H29 ZCKMD37H29 ZCKS1 ZCKMD35 ZCKS8H29 ZCKS7H29 ZCKM7

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

ZCKLD37
 ZCKM9H29
 ZCKS2H29
 ZCKS6
 ZCKL5H7
 ZCKMD37
 ZCKSD35
 ZCKS7
 ZCKMD37H7
 ZCKLD39
 ZCKS5
 ZCKSD39
 ZCKS1H29
 ZCKM1
 ZCKSD35H29
 ZCKL6H7
 ZCKMD31H7
 ZCKLD31H7
 ZCKSD39H29
 ZCKL1
 ZCKM9
 ZCKMD39H29
 ZCKS5H29
 ZCKL7
 ZCKM1H29
 ZCKL8H7
 ZCKM8
 ZCKL5
 ZCKLD35
 ZCKM8H7
 ZCKM5H7
 ZCKL8
 ZCKL1H7
 ZCKS9
 ZCKMD31
 ZCKSD37
 ZCKLD37H7
 ZCKS9H29
 ZCKM5H29
 ZCKLD35H7

Movement of operating head	Rotary
Type of operator	Spring rod lever spring return (with metal rod)
Type of approach	Lateral approach 2 directions

Complementary

Switch actuation	By any moving part
Positive opening	Without
Head material	Plastic
Device presentation	Basic element
Compatibility code	ZCKD

Environment

Ambient air temperature for operation	-25...70 °C
Ambient air temperature for storage	-40...70 °C
Environmental characteristic	Standard environment

Offer Sustainability

Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 1022 - Schneider Electric declaration of conformity Schneider Electric declaration of conformity
REACH	Reference not containing SVHC above the threshold Reference not containing SVHC above the threshold
Product end of life instructions	Need no specific recycling operations

Contractual warranty

Warranty period	18 months
-----------------	-----------

ZCKD91