



Main

Range of product	OsiSense XC
Series name	Standard format
Product or component type	Limit switch head
Device short name	ZCKE
Head type	Plunger head
Product compatibility	XCKJ
Associated body	ZCKJ4 ZCKJD39 ZCKJD39H7 ZCKJ2H29 ZCKJ4H29 ZCKJ1H29 ZCKJD31H29 ZCKJ41H7 ZCKJD31 ZCKJ6H7 ZCKJ41H29 ZCKJ8H29 ZCKJ7H29 ZCKJD35H7 ZCKJ8H7 ZCKJ2 ZCKJD35H29 ZCKJD35 ZCKJD39H29 ZCKJ5H29 ZCKJ9H29 ZCKJ6 ZCKJD37H29 ZCKJ7 ZCKJ2H7 ZCKJ9H7 ZCKJD31H7 ZCKJ21H29 ZCKJ7H7 ZCKJ21H7 ZCKJD37

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

ZCKJ9
ZCKJ21
ZCKJ8
ZCKJ11H7
ZCKJ41
ZCKJ6H29
ZCKJ1
ZCKJ11
ZCKJ4H7
ZCKJ5
ZCKJ1H7
ZCKJD37H7
ZCKJ11H29
ZCKJ5H7

Movement of operating head	Linear
Type of operator	End plunger spring return metal
Type of approach	Vertical approach 1 direction

Complementary

Switch actuation	On end
Positive opening	With
Head material	Metal
Device presentation	Basic element
Compatibility code	ZCKE

Environment

Ambient air temperature for operation	-40...70 °C
Ambient air temperature for storage	-40...70 °C
Environmental characteristic	Low temperature

Offer Sustainability

Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 1014 - Schneider Electric declaration of conformity Schneider Electric declaration of conformity
REACH	Reference not containing SVHC above the threshold Reference not containing SVHC above the threshold
Product end of life instructions	Need no specific recycling operations

Contractual warranty

Warranty period	18 months
-----------------	-----------