



Main

Range of product	OsiSense XC
Series name	Standard format
Product or component type	Limit switch head
Device short name	ZCKE
Head type	Plunger head
Product compatibility	XCKJ
Associated body	ZCKJ8 ZCKJ11 ZCKJ4H29 ZCKJ6H7 ZCKJ1H29 ZCKJD39H7 ZCKJD39 ZCKJD37H29 ZCKJD31H7 ZCKJD39H29 ZCKJ7 ZCKJD37H7 ZCKJ8H29 ZCKJ6 ZCKJ41H7 ZCKJ9H29 ZCKJ4 ZCKJD35H29 ZCKJ21H29 ZCKJ11H29 ZCKJ41H29 ZCKJD31H29 ZCKJ2H29 ZCKJ41 ZCKJ5 ZCKJD35H7 ZCKJD35 ZCKJD37 ZCKJ2H7 ZCKJ9 ZCKJ8H7

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

ZCKJ21H7
 ZCKJ4H7
 ZCKJ21
 ZCKJ1H7
 ZCKJ7H7
 ZCKJ6H29
 ZCKJ2
 ZCKJ5H29
 ZCKJ1
 ZCKJD31
 ZCKJ5H7
 ZCKJ11H7
 ZCKJ7H29
 ZCKJ9H7

Movement of operating head	Linear
Type of operator	Roller plunger spring return metal (reinforced)
Type of approach	Lateral approach 2 directions

Complementary

Switch actuation	By 30° cam
Positive opening	With
Head material	Metal
Device presentation	Basic element
Compatibility code	ZCKE

Environment

Ambient air temperature for operation	-25...70 °C
Ambient air temperature for storage	-40...70 °C
Environmental characteristic	Standard environment

Offer Sustainability

Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 0851 - Schneider Electric declaration of conformity Schneider Electric declaration of conformity
REACH	Reference not containing SVHC above the threshold Reference not containing SVHC above the threshold
Product end of life instructions	Need no specific recycling operations

Contractual warranty

Warranty period	18 months
-----------------	-----------